

4/12/2018

[Dart Hawkesbury] Job Sheet - David, Logan

1652



Dart Aerospace Ltd.
1270 Aberdeen St
Hawkesbury, ON
K6A 1K7
Canada

Tel (613) 632-5200

RBE350A94-2706-00-07A

Job Sheet 173910



Part No: RBE350A94-2706-00-07A Job Qty: 9 ea

Part Name: Pin Shaft



Part Weight: 0 lbs

Status: Scheduled

Priority: High

Job Created: 3/8/18

Job Tracking No:

Due Date: 4/16/18

Created By: Marie Lajeunesse

Type: SOLD

Description:

Note: DWG RBE350A94-2706-00 REV 6 IPP REV A 18-01-15 NEW ISSUE JFC VERIFIED DP

Ship Via:

SHIP
5-17

Bill of Materials

Job Routing

Op No	Operation	Qty	Start Date	Due Date	Standard		Workcenter/Supplier		Sign-off
					Setup hrs	Run Hrs	Workcenter / Supplier	Lead Time	
90	Start up Operation	9 Ea		4/14/18	0.00	0.00	Start Up Machining-3		SL 18-6-18
110	CNC Lathe	9 pcs		4/16/18	0.00	4.50	MORI SL-154		SL
120	QC	9 pcs		4/16/18	0.00	0.00	QC2 Machining-4		SL
130	QC	9 pcs		4/16/18	0.00	0.00	QC8 Machining-4		SL 18-06-18
140	Packaging	9 pcs		4/16/18	0.00	0.00	Packaging3-1		SL 18-01-22
150	QC21-SA	9 Ea		4/16/18	0.00	0.00	QC21		GA141

Part Op 110 - 1-Machine as per DWG. FB737 FOLIO REV: _____ DWG REV: _____ 2-Debur 3-Engrave Dash
Descriptions: number Using Marktronic engraver as per DWG.

21
9-00

JUN 22 2018

Job BOM

Part / Item	Component Name	Quantity	Operation	Container
88625K65	Dowel Pin Ø6mm x 40mm	9 ft (1 ea)	90-Start up Operation	SL 16127=4.1

Job Allocations

Operation	Component Part	Required	Inventory	Allocated
90-Start up Operation	88625K65	9	71	0

Part Specifications

Specifications could not be found.

Plex 4/12/18 2:26 PM dart.logan.david



Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
CANADA
TEL.: 1 613 632-5200
Email: sales@dartaero.com
www.dartaerospace.com

Container No: S081952



Part: RBE350A94-2706-00-07A

Job No: 173910

Serial No/Batch: S081952

Revision: 6

Inspector:


Exp Date:

Instructions:

Date: 06/18/18

This drawing, specifications, and concepts contained here in are the sole property of Dart Aerospace, and may not be reproduced or used in any fashion without the prior written permission of Dart Aerospace Eugene, OR.

REVISIONS					
REV	ECR	DESCRIPTION	DATE	INITIAL	APPROVED
1		DESIGNED PER HELI PRODUCTS TOOLS.	9/11/2009	WP	DW
2		ADDED ONE MORE -03 PIN, FLAG AND CABLE TIE.	6/14/2010	WP	DW
3		MOVED LENGTH B DIMENSION TO Ø.118in. HOLE CENTERLINE & ADDED 1.5mm TO -01 THRU -09 PINS IN TABLE. ADDED A TOLERANCE TO Ø.118in HOLE TO ACHIEVE A LIGHT PRESS FIT FOR -11. CH'D HOLE FROM Ø.118 TO Ø.113 FOR CABLE TIES. END OF PIN PER S.E.	12/15/2010	RJC	RW
4		CORRECTED PIN VIEW SHEET 1 AND CH'D Ø.113 [Ø2.9mm] HOLE TO Ø.118 [Ø3.0mm] PER G.E.	5/9/2012	RJC	GE
4A		CH'D T/N WAS RBEA94-2706-00 IS RBE350A94-2706-00.	11/6/2013	RJC	RW
5	15-0120	UPDATED TO NEW DRAFTING STANDARDS. CH'D TOLERANCE BLOCK WAS .XXX ± .004 IS .XXX ± .005. ADDED P/N'S -01A, -03A, -05A, -07A, -09A. CH'D TOLERANCE ON NON-CRITICAL DIMENSIONS.	5/26/2015	DPD	JAG
6	16-0281	UPDATED TO DRAFTING STANDARD. -01, -03, -05, -07, -09 ADDED FINISH SPEC QSMI-6.2.2, B.O. REV D. ADDED -17, -19, NOTE Δ -01A, -03A, -05A, -07A, -09A CH'D DIM WAS 2X Ø.118 +.001/-0.000 THRU ALL IS Ø.1180/.1176 THRU ALL (P.F. -11). ADDED DIM Ø.12 THRU ALL. ADDED ENGRAVE DASH No., ADDED ENGRAVE DASH No. COLUMN TO TABLE.	1/12/2017	RJC	JAG



SHOP COPY
RETURN TO
ENGINEERING
UNCONTROLLED COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE
WORK ORDER
NO. 173 910
20180502

ASSY QTY	ASSY QTY	ASSY QTY	ASSY QTY	ASSY QTY	B/O	Part #	UNIT QTY	Description	Material	B/O INFORMATION OR SPECIFICATIONS	PG.
				X		-01	4	PIN			2
				1		-01A		PIN SHAFT	O-1	Ø6mm X 3 FT (MCMASTER-CARR #88625K65) MODIFIED	3
			X			-03	2	PIN			2
			1			-03A		PIN SHAFT	O-1	Ø8mm X 3 FT (MCMASTER-CARR #88625K67) MODIFIED	3
		X				-05	1	PIN			2
		1				-05A		PIN SHAFT	O-1	Ø8mm X 3 FT (MCMASTER-CARR #88625K67) MODIFIED	3
	X					-07	1	PIN			2
	1					-07A		PIN SHAFT	O-1	Ø6mm X 3 FT (MCMASTER-CARR #88625K65) MODIFIED	3
X						-09	1	PIN			2
1						-09A		PIN SHAFT	O-1	Ø8mm X 3 FT (MCMASTER-CARR #88625K67) MODIFIED	3
1	1	1	1	1	B/O	-11		DOWEL PIN	STEEL	Ø3mm X 40mm (MCMASTER-CARR #91595A142)	2
					B/O	-13	1	RE-SEALABLE PLASTIC BAG		5 IN X 6 IN APPROX.	N/S
A/R	A/R	A/R	A/R	A/R	B/O	-15		LOCTITE 680			2
1	1	1	1	1	B/O	-17		FLAGS, REMOVE BEFORE FLIGHT	NYLON	NAS 1756-12	2
1	1	1	1	1	B/O	-19		CABLE TIE	BLACK NYLON	(MCMASTER-CARR #7189K31)	2
ASSY -09	ASSY -07	ASSY -05	ASSY -03	ASSY -01							



DART AEROSPACE	
TITLE RIGGING PIN SET	
DWG NO. RBE350A94-2706-00	REV 6
MAT'L HEAT TREAT FINISH SPEC	
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES .XXX ± .005 FRACTIONS ± 1/8 .XX ± .01 ANGLES ± 5° .X ± .1 SURFACES = 125/	
1. BREAK ALL SHARP EDGES .015 x 45° OR .015R 2. DIMENSIONAL LIMITS APPLY AFTER PLATING 3. INTERPRET DIM AND TOL PER ASME Y14.5M-2009	
DRAWN BY: PERRITT	USED ON MODEL EUROCOPTER AS350/355
CHECKED: DUERFELDT	
OPPS APPR: ANDERSON	
QA APPR: LINDSAY	
APPROVED: GILBERT	
SCALE 1:3	DATE 9/11/2009
SHEET 1 OF 3	

This drawing, specifications, and concepts contained here in are the sole property of Dart Aerospace, and may not be reproduced or used in any fashion without the prior written permission of Dart Aerospace Eugene, OR.

REVISIONS					DATE	INITIAL	APPROVED
REV	ECR	DESCRIPTION					
6	16-0281	-01, -03, -05, -07, -09 ADDED FINISH SPEC. QSMI-6.2.2, B.O. REV D. ADDED -17, -19, NOTE Δ			1/12/2017	RJC	JAG

SHOP COPY
RETURN TO
ENGINEERING
UNCONTROLLED COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE
WORK ORDER
NO. 173910

20180502



ASSY P/N	A P/N
-01	-01A
-03	-03A
-05	-05A
-07	-07A
-09	-09A

NOTE:

Δ USE LOCTITE 680 TO ASSEMBLE.



DART AEROSPACE	
TITLE RIGGING PIN SET	
DWG NO. RBE350A94-2706-00-01	REV 6
MAT'L HEAT TREAT FINISH BLACK OXIDE SPEC QMSI-6.2.2, B.O. REV D	UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES .XXX $\pm$.005 FRACTIONS $\pm$ 1/8 .XX $\pm$.01 ANGLES $\pm$ 5° .X $\pm$.1 SURFACES = 125° 1. BREAK ALL SHARP EDGES .015 x 45° OR .015R 2. DIMENSIONAL LIMITS APPLY AFTER PLATING 3. INTERPRET DIM AND TOL PER ASME Y14.5M-2009
DRAWN BY: PERRITT	USED ON MODEL
CHECKED: DUERFELDT	EUROCOPTER AS350/355
OPPS APPR: ANDERSON	
QA APPR: LINDSAY	
APPROVED: GILBERT	
SCALE 1:3	DATE 9/11/2009 SHEET 2 OF 3

-01, -03, -05, -07, -09

PIN

This drawing, specifications, and concepts contained here in are the sole property of Dart Aerospace, and may not be reproduced or used in any fashion without the prior written permission of Dart Aerospace Eugene, OR.

REVISIONS					
REV	ECR	DESCRIPTION	DATE	INITIAL	APPROVED
3		MOVED LENGTH B DIMENSION TO Ø.118in. HOLE CENTERLINE & ADDED 1.5mm TO -.01 THRU -.09 PINS IN TABLE. ADDED A TOLERANCE TO Ø.118in HOLE TO ACHIEVE A LIGHT PRESS FIT FOR -.11. CH'D HOLE FROM Ø.118 TO Ø.113 FOR CABLE TIES. END OF PIN PER S.E.	5/26/2015	RJC	RW
4	15-0120	CH'D TOLERANCE BLOCK WAS .XXX ± .004 IS .XXX ± .005.	5/26/2015	DPD	JAG
6	16-0281	-01A, -03A, -05A, -07A, -09A CH'D DIM WAS 2X Ø.118 +.001/-0.000 THRU ALL IS Ø.1180/1176 THRU ALL (P.F. -11). ADDED DIM Ø.12 THRU ALL. ADDED ENGRAVE DASH No., ADDED ENGRAVE DASH No. COLUMN TO TABLE.	1/12/2017	RJC	JAG



-01A, -03A, -05A, -07A, -09A

PIN SHAFT

SHOP COPY
RETURN TO
ENGINEERING
UNCONTROLLED COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE
WORK ORDER
NO. 173910 72
20180502

ENGRAVE	PIN DIMENSION TABLE		
DASH No.	P/N	ØA	LENGTH B
-01	-01A	6mm	2.028
-03	-03A	8mm	5.177
-05	-05A	8mm	3.012
-07	-07A	6mm	4.783
-09	-09A	8mm	1.240

DART AEROSPACE	
TITLE RIGGING PIN SET	
DWG NO. RBE350A94-2706-00-01A	REV 6
MAT'L O-1	UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES
HEAT TREAT SEE -01, -03, -05, -07, -09	.XXX ± .005 FRACTIONS ± 1/8
FINISH	.XX ± .01 ANGLES ± 5°
SPEC	.X ± .1 SURFACES = 125
DRAWN BY: PERRITT	1. BREAK ALL SHARP EDGES .015 x 45° OR .015R
CHECKED: DUERFELDT	2. DIMENSIONAL LIMITS APPLY AFTER PLATING
OPPS APPR: ANDERSON	3. INTERPRET DIM AND TOL PER ASME Y14.5M-2009
QA APPR: LINDSAY	USED ON MODEL
APPROVED: GILBERT	EUROCOPTER AS350/355
SCALE 1:1	DATE 9/11/2009 SHEET 3 OF 3

INSPECTION SHEET

Rev	Date	Change	Revised by	Approved
A	14.07.31	New Issue	KJ	

A: _____ Date: _____

WORK ORDER NON-CONFORMANCE / UPDATE



Work Order Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____	DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐	AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐			
Date : _____	Step #: _____	QTY Effective : _____		MRB (QSI042) Approval	
Description Work Order Deviation		Disposition		Completed By	
				Lead hand / Supervisor Approval Verification	
				QC / QA Coordinator Approval	
Root Cause		FAULT CATEGORY			
Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐ No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐	Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐ Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐	Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Mislabeled ☐ Fit/Function ☐ Misaligned/off center ☐ Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐			
OTHER : _____					